


1 RCP LEVEL 1 NORTH
1/8" = 1'-0"

05.12-1 STEEL BEAM PER STRUC; PROVIDE FIRE-RESISTANCE RATING PER CODE ANALYSIS AND ASSEMBLY DETAILS

08.91-1 FIXED DRAINABLE BLADE LOUVER; FINISH TO MATCH ADJACENT WALL; NFA PER MECH

21.00-2 FIRE BELL WITH DECORATIVE GRILLE

RCP GENERAL NOTES

1. REFERENCE UNIT RCP SHEETS FOR UNIT INTERIOR FINISHES AND FIXTURES
2. PROVIDE PLASTER CEILING FINISH U.N.O. AT ALL EXTERIOR CONDITIONS; MAINTAIN CONTINUITY OF HORIZONTAL ASSEMBLY PER SHEET A-701
3. PROVIDE PAINTED GYP BOARD CEILING FINISH AT ALL INTERIOR CONDITIONS U.N.O.; MAINTAIN CONTINUITY OF HORIZONTAL ASSEMBLY PER SHEET A-701
4. SEE ELECTRICAL AND MECHANICAL DRAWINGS FOR ADDITIONAL INFORMATION
5. COORDINATE FIRE SPRINKLER HEAD LOCATIONS (DEFERRED SUBMITTAL) WITH LIGHTING LAYOUT; VERIFY FINAL LOCATIONS WITH ARCHITECT PRIOR TO INSTALLATION
6. INTERIOR WALLS AND CEILINGS OUT OF PLANE DUE TO ADJACENT DIFFERING ASSEMBLIES TO BE FILLED IN TO CREATE A FLUSH WALL SURFACE; MAINTAIN MINIMUM RATED ASSEMBLIES PER ASSEMBLY SCHEDULES
7. DIMENSIONS ARE TO THE FOLLOWING UNLESS NOTED OTHERWISE:
   A. TO FACE OF PLYWOOD (OR STUD WHEN NO PLYWOOD)
   B. TO FACE OF CONCRETE
   C. TO CENTER OF ROUGH OPENING AT DOOR AND WINDOW JAMBS
   D. TO FACE OF FINISH FOR LIGHT FIXTURES

CEILING SCHEDULE

ID	DESCRIPTION
C1	METAL STUD FRAMED CEILING PER STRUC; 7/8" 3-COAT PLASTER FINISH O/ DENSGLASS SHEATHING PER DETAILS; HEIGHT PER RCPS
C2	METAL STUD FRAMED CEILING PER STRUC; GYP BOARD FINISH PER DETAILS; HEIGHT PER RCPS

RCP LEGEND

- EXPOSED WOOD FRAMED BALCONY; 2x6 T&G WOOD DECKING WITH EXPOSED BEAMS PER STRUCTURAL; FINISH PER ELEVATION
- (@ EXTERIOR) PLASTER CEILING FINISH AT UNDERSIDE OF FLOOR-CEILING ASSEMBLY PER ASSEMBLY DETAILS
- (@ INTERIOR) GYP BOARD CEILING FINISH AT UNDERSIDE OF FLOOR-CEILING ASSEMBLY PER ASSEMBLY DETAILS
- DROPPED CEILING PER CEILING SCHEDULE; HEIGHT PER RCP
- DUCT PER MECH; CONCEAL WITHIN SOFFIT OR FLOOR STRUCTURE; RATED PENETRATIONS PER MECH
- STEEL BEAM, PER STRUCTURAL
- WROUGHT IRON JULIET BALCONY ABOVE, FINISH PER ELEVATION
- FABRIC AWNING ABOVE, FINISH PER DETAILS
- BONDERIZED STEEL DOWNSPOUT W/ DECORATIVE STRAPS
- 6" HALF-ROUND BONDERIZED STEEL GUTTER PER ELEVATION
- 12" SQUARE SOFFIT VENT, SMOOTH-SIDED FLUSH MOUNT FRAME, PAINT TO MATCH COLOR OF ADJACENT STUCCO
- SECURITY CAMERA (POE) BY OWNER; GC TO PROVIDE END-TO-END CONDUIT, CABLING AND WIRING PER OWNER'S DIRECTION (TBD); GC TO COORDINATE PLACEMENT WITH ARCH AND OWNER

LIGHTING LEGEND

- A — EXTERIOR WALL SCONCE PER ELEC; DARK BRONZE FINISH; DARK SKY COMPLIANT
- B, C — EXTERIOR SPECIALITY WALL SCONCE PER ELEC; SEE EXTERIOR ELEVATIONS; DARK SKY COMPLIANT
- D — EXTERIOR SPECIALITY PENDANT LIGHT PER ELEC; SEE EXTERIOR ELEVATIONS; DARK SKY COMPLIANT
- EXTERIOR SURFACE MOUNT DOWNLIGHT - WET LOCATION - PER ELEC; WHITE FINISH
- WALL MOUNT PARKING LOT LIGHT; WHITE FINISH
- POLE MOUNT PARKING LOT LIGHT; DARK BRONZE FINISH
- LINEAR LIGHT FIXTURE; PER ELECTRICAL
- STAIR LIGHT FIXTURE; PER ELECTRICAL



EXTERIOR SCONCE AT DOOR PLACEMENT, TYP

EMERGENCY LIGHTING & SIGNAGE LEGEND

- CEILING-MOUNT ILLUMINATED EXIT SIGN PER ELEC AND FIRE-LIFE SAFETY DRAWINGS
- WALL-MOUNT ILLUMINATED EXIT SIGN PER ELEC AND FIRE-LIFE SAFETY DRAWINGS

CEARNAL COLLECTIVE
ARCHITECTURE INTERIOR DESIGN
531 1/2 STATE STREET
SANTA BARBARA
CALIFORNIA 93101
P: 805.963.8077
www.cearnal.com

LICENSED ARCHITECT CHRISTINE FLYNN No. C29397 STATE OF CALIFORNIA

Jacaranda Court
400 W. Carrillo St
Santa Barbara, CA
APN 039-261-009
BLD2024-02656

ASI 04

JOB NUMBER: 18015

CONTENTS:
RCP LEVEL 1 NORTH

THE CEARNAL COLLECTIVE LLP expressly reserves their common law copyright and other property rights in these plans. These plans are not to be reproduced, changed or copied in any form or manner whatsoever, nor are they to be assigned to a third party without first obtaining the written permission and consent of The Cearnal Collective LLP. In the event of unauthorized reuse of these plans by a third party, the third party shall hold The Cearnal Collective LLP harmless.


ISSUE DATE: 3/4/26

ISSUANCES

#	DATE	DESCRIPTION
	01-18-2023	HLC Concept
	05-03-2023	PLN #2
	06-30-2023	PLN #3 / PC
	07-23-2023	Planning Commission
	10-26-2023	HLC Resubmittal
	02-22-2024	Schematic Design (BOD)
	03-27-2024	100% Schematic Design
	05-13-2024	50% Design Development
	07-01-2024	100% Design Development
	07-15-2024	50% Construction Documents
	09-09-2024	50% Construction Documents
	09-13-2024	HLC Final
	09-25-2024	Bldg Dept Sbmtl #1
	02-12-2025	Bldg Dept Sbmtl #2
	06-26-2025	Bid Set / Bldg Dept Sbmtl #3
	08-20-2025	Bldg Dept #4
1	11-07-2025	ASI 01
3	02-09-2026	ASI 03
4	03-04-2026	ASI 04

A-114

3/4/2026 3:34:07 PM



1 RCP LEVEL 1 SOUTH
1/8" = 1'-0"

PROJECT NORTH

RCP KEYNOTES

05.50-3 DECORATIVE SOFFIT VENT; 12" SQUARE; SMOOTH-SIDED FLUSH MOUNT FRAME; PAINT TO MATCH ADJACENT PLASTER

26.00-6 FEEDER ROUTING PER ELECTRICAL ENGINEER

26.52-1 ILLUMINATED EXIT SIGN - WALL MOUNT, PER CBC 1013

RCP GENERAL NOTES

1. REFERENCE UNIT RCP SHEETS FOR UNIT INTERIOR FINISHES AND FIXTURES
2. PROVIDE PLASTER CEILING FINISH U.N.O. AT ALL EXTERIOR CONDITIONS; MAINTAIN CONTINUITY OF HORIZONTAL ASSEMBLY PER SHEET A-701
3. PROVIDE PAINTED GYP BOARD CEILING FINISH AT ALL INTERIOR CONDITIONS U.N.O.; MAINTAIN CONTINUITY OF HORIZONTAL ASSEMBLY PER SHEET A-701
4. SEE ELECTRICAL AND MECHANICAL DRAWINGS FOR ADDITIONAL INFORMATION
5. COORDINATE FIRE SPRINKLER HEAD LOCATIONS (DEFERRED SUBMITTAL) WITH LIGHTING LAYOUT; VERIFY FINAL LOCATIONS WITH ARCHITECT PRIOR TO INSTALLATION
6. INTERIOR WALLS AND CEILINGS OUT OF PLANE DUE TO ADJACENT DIFFERING ASSEMBLIES TO BE FILLED IN TO CREATE A FLUSH WALL SURFACE; MAINTAIN MINIMUM RATED ASSEMBLIES PER ASSEMBLY SCHEDULES
7. DIMENSIONS ARE TO THE FOLLOWING UNLESS NOTED OTHERWISE:
   A. TO FACE OF PLYWOOD (OR STUD WHEN NO PLYWOOD)
   B. TO FACE OF CONCRETE
   C. TO CENTER OF ROUGH OPENING AT DOOR AND WINDOW JAMBS
   D. TO FACE OF FINISH FOR LIGHT FIXTURES

CEILING SCHEDULE

ID	DESCRIPTION
C1	METAL STUD FRAMED CEILING PER STRUC; 7/8" 3-COAT PLASTER FINISH O/ DENSGLASS SHEATHING PER DETAILS; HEIGHT PER RCPS
C2	METAL STUD FRAMED CEILING PER STRUC; GYP BOARD FINISH PER DETAILS; HEIGHT PER RCPS

RCP LEGEND

- EXPOSED WOOD FRAMED BALCONY; 2x6 T&G WOOD DECKING WITH EXPOSED BEAMS PER STRUCTURAL; FINISH PER ELEVATION
- (@ EXTERIOR) PLASTER CEILING FINISH AT UNDERSIDE OF FLOOR-CEILING ASSEMBLY PER ASSEMBLY DETAILS
- (@ INTERIOR) GYP BOARD CEILING FINISH AT UNDERSIDE OF FLOOR-CEILING ASSEMBLY PER ASSEMBLY DETAILS
- DROPPED CEILING PER CEILING SCHEDULE; HEIGHT PER RCP
- DUCT PER MECH; CONCEAL WITHIN SOFFIT OR FLOOR STRUCTURE; RATED PENETRATIONS PER MECH
- STEEL BEAM, PER STRUCTURAL
- WROUGHT IRON JULIET BALCONY ABOVE, FINISH PER ELEVATION
- FABRIC AWNING ABOVE, FINISH PER DETAILS
- BONDERIZED STEEL DOWNSPOUT W/ DECORATIVE STRAPS
- 6" HALF-ROUND BONDERIZED STEEL GUTTER PER ELEVATION
- 12" SQUARE SOFFIT VENT, SMOOTH-SIDED FLUSH MOUNT FRAME, PAINT TO MATCH COLOR OF ADJACENT STUCCO
- SECURITY CAMERA (POE) BY OWNER; GC TO PROVIDE END-TO-END CONDUIT, CABLING AND WIRING PER OWNER'S DIRECTION (TBD); GC TO COORDINATE PLACEMENT WITH ARCH AND OWNER

LIGHTING LEGEND

- A — EXTERIOR WALL SCONCE PER ELEC; DARK BRONZE FINISH; DARK SKY COMPLIANT
- B, C — EXTERIOR SPECIALITY WALL SCONCE PER ELEC; SEE EXTERIOR ELEVATIONS; DARK SKY COMPLIANT
- D — EXTERIOR SPECIALITY PENDANT LIGHT PER ELEC; SEE EXTERIOR ELEVATIONS; DARK SKY COMPLIANT
- EXTERIOR SURFACE MOUNT DOWNLIGHT - WET LOCATION - PER ELEC; WHITE FINISH
- WALL MOUNT PARKING LOT LIGHT; WHITE FINISH
- POLE MOUNT PARKING LOT LIGHT; DARK BRONZE FINISH
- LINEAR LIGHT FIXTURE; PER ELECTRICAL
- STAIR LIGHT FIXTURE; PER ELECTRICAL



EXTERIOR SCONCE AT DOOR PLACEMENT, TYP

EMERGENCY LIGHTING & SIGNAGE LEGEND

- CEILING-MOUNT ILLUMINATED EXIT SIGN PER ELEC AND FIRE-LIFE SAFETY DRAWINGS
- WALL-MOUNT ILLUMINATED EXIT SIGN PER ELEC AND FIRE-LIFE SAFETY DRAWINGS

CEARNAL COLLECTIVE
ARCHITECTURE INTERIOR DESIGN
521 1/2 STATE STREET
SANTA BARBARA
CALIFORNIA 93101
P: 805.963.8077
www.cearnal.com

LICENSED ARCHITECT CHRISTINE PIERCE STATE OF CALIFORNIA No. C29397

Jacaranda Court
400 W. Carrillo St
Santa Barbara, CA
APN 039-261-009
BLD2024-02656

ASI 04

JOB NUMBER:	18015
CONTENTS:	**RCP LEVEL 1 SOUTH**

THE CEARNAL COLLECTIVE LLP expressly reserves their common law copyright and other property rights in these plans. These plans are not to be reproduced, changed, or copied in any form or manner whatsoever nor are they to be assigned to a third party without first obtaining the written permission and consent of The Cearnal Collective LLP. In the event of unauthorized reuse of these plans by a third party, the third party shall hold The Cearnal Collective LLP harmless.


ISSUE DATE:	3/4/26

ISSUANCES

#	DATE	DESCRIPTION
	01-18-2023	HLC Concept
	05-03-2023	PLN #2
	06-30-2023	PLN #3 / PC
	07-23-2023	Planning Commission
	10-26-2023	HLC Resubmittal
	02-22-2024	Schematic Design (BOD)
	03-27-2024	100% Schematic Design
	05-13-2024	50% Design Development
	07-01-2024	100% Design Development
	07-15-2024	50% Construction Documents
	09-09-2024	90% Construction Documents
	09-13-2024	HLC Final
	09-25-2024	Bldg Dept Stmtl #1
	02-12-2025	Bldg Dept Stmtl #2
	05-28-2025	Bid Set / Bldg Dept Stmtl #3
	08-20-2025	Bldg Dept #4
3	02-09-2026	ASI 03
4	03-04-2026	ASI 04

A-115

3/4/2026 3:34:16 PM



1 RCP LEVEL 2 NORTH
1/8" = 1'-0"

RCP KEYNOTES

05.50-3 DECORATIVE SOFFIT VENT; 12" SQUARE; SMOOTH-SIDED FLUSH MOUNT FRAME; PAINT TO MATCH ADJACENT PLASTER

26.52-1 ILLUMINATED EXIT SIGN - WALL MOUNT, PER CBC 1013

26.52-2 ILLUMINATED EXIT SIGN - CEILING MOUNT, PER CBC 1013

RCP GENERAL NOTES

1. REFERENCE UNIT RCP SHEETS FOR UNIT INTERIOR FINISHES AND FIXTURES
2. PROVIDE PLASTER CEILING FINISH U.N.O. AT ALL EXTERIOR CONDITIONS; MAINTAIN CONTINUITY OF HORIZONTAL ASSEMBLY PER SHEET A-701
3. PROVIDE PAINTED GYP BOARD CEILING FINISH AT ALL INTERIOR CONDITIONS U.N.O.; MAINTAIN CONTINUITY OF HORIZONTAL ASSEMBLY PER SHEET A-701
4. SEE ELECTRICAL AND MECHANICAL DRAWINGS FOR ADDITIONAL INFORMATION
5. COORDINATE FIRE SPRINKLER HEAD LOCATIONS (DEFERRED SUBMITTAL) WITH LIGHTING LAYOUT; VERIFY FINAL LOCATIONS WITH ARCHITECT PRIOR TO INSTALLATION
6. INTERIOR WALLS AND CEILINGS OUT OF PLANE DUE TO ADJACENT DIFFERING ASSEMBLIES TO BE FILLED IN TO CREATE A FLUSH WALL SURFACE; MAINTAIN MINIMUM RATED ASSEMBLIES PER ASSEMBLY SCHEDULES
7. DIMENSIONS ARE TO THE FOLLOWING UNLESS NOTED OTHERWISE:
   A. TO FACE OF PLYWOOD (OR STUD WHEN NO PLYWOOD)
   B. TO FACE OF CONCRETE
   C. TO CENTER OF ROUGH OPENING AT DOOR AND WINDOW JAMBS
   D. TO FACE OF FINISH FOR LIGHT FIXTURES

CEILING SCHEDULE


ID	DESCRIPTION
C1	METAL STUD FRAMED CEILING PER STRUC; 7/8" 3-COAT PLASTER FINISH O/ DENSGLASS SHEATHING PER DETAILS; HEIGHT PER RCPS
C2	METAL STUD FRAMED CEILING PER STRUC; GYP BOARD FINISH PER DETAILS; HEIGHT PER RCPS

RCP LEGEND

- EXPOSED WOOD FRAMED BALCONY; 2x6 T&G WOOD DECKING WITH EXPOSED BEAMS PER STRUCTURAL; FINISH PER ELEVATION
- (@ EXTERIOR) PLASTER CEILING FINISH AT UNDERSIDE OF FLOOR-CEILING ASSEMBLY PER ASSEMBLY DETAILS
- (@ INTERIOR) GYP BOARD CEILING FINISH AT UNDERSIDE OF FLOOR-CEILING ASSEMBLY PER ASSEMBLY DETAILS
- DROPPED CEILING PER CEILING SCHEDULE; HEIGHT PER RCP
- DUCT PER MECH; CONCEAL WITHIN SOFFIT OR FLOOR STRUCTURE; RATED PENETRATIONS PER MECH
- STEEL BEAM, PER STRUCTURAL
- WROUGHT IRON JULIET BALCONY ABOVE, FINISH PER ELEVATION
- FABRIC AWNING ABOVE, FINISH PER DETAILS
- BONDERIZED STEEL DOWNSPOUT W/ DECORATIVE STRAPS
- 6" HALF-ROUND BONDERIZED STEEL GUTTER PER ELEVATION
- 12" SQUARE SOFFIT VENT, SMOOTH-SIDED FLUSH MOUNT FRAME, PAINT TO MATCH COLOR OF ADJACENT STUCCO
- SECURITY CAMERA (POE) BY OWNER; GC TO PROVIDE END-TO-END CONDUIT, CABLING AND WIRING PER OWNER'S DIRECTION (TBD); GC TO COORDINATE PLACEMENT WITH ARCH AND OWNER

LIGHTING LEGEND

- A — EXTERIOR WALL SCONCE PER ELEC; DARK BRONZE FINISH; DARK SKY COMPLIANT
- B, C — EXTERIOR SPECIALITY WALL SCONCE PER ELEC; SEE EXTERIOR ELEVATIONS; DARK SKY COMPLIANT
- D — EXTERIOR SPECIALITY PENDANT LIGHT PER ELEC; SEE EXTERIOR ELEVATIONS; DARK SKY COMPLIANT
- EXTERIOR SURFACE MOUNT DOWNLIGHT - WET LOCATION - PER ELEC; WHITE FINISH
- WALL MOUNT PARKING LOT LIGHT; WHITE FINISH
- POLE MOUNT PARKING LOT LIGHT; DARK BRONZE FINISH
- LINEAR LIGHT FIXTURE; PER ELECTRICAL
- STAIR LIGHT FIXTURE; PER ELECTRICAL



EXTERIOR SCONCE AT DOOR PLACEMENT, TYP

EMERGENCY LIGHTING & SIGNAGE LEGEND

- CEILING-MOUNT ILLUMINATED EXIT SIGN PER ELEC AND FIRE-LIFE SAFETY DRAWINGS
- WALL-MOUNT ILLUMINATED EXIT SIGN PER ELEC AND FIRE-LIFE SAFETY DRAWINGS

CEARNAL COLLECTIVE
ARCHITECTURE INTERIOR DESIGN
521 1/2 STATE STREET
SANTA BARBARA
CALIFORNIA 93101
P: 805.963.8077
www.cearnal.com

LICENSED ARCHITECT CHRISTINE PIERCE No. C29397 STATE OF CALIFORNIA

Jacaranda Court
400 W. Carrillo St
Santa Barbara, CA
APN 039-261-009
BLD2024-02656

ASI 03

JOB NUMBER: 18015

CONTENTS:
RCP LEVEL 2 NORTH

THE CEARNAL COLLECTIVE LLP expressly reserves their common law copyright and other property rights in these plans. These plans are not to be reproduced, changed, or copied in any form or manner whatsoever, nor are they to be assigned to a third party without first obtaining the written permission and consent of The Cearnal Collective LLP. In the event of unauthorized reuse of these plans by a third party, the third party shall hold The Cearnal Collective LLP harmless.


ISSUE DATE: 2/9/26

ISSUANCES

#	DATE	DESCRIPTION
	01-18-2023	HLC Concept
	06-03-2023	PLN #2
	06-30-2023	PLN #3 / PC
	07-23-2023	Planning Commission
	10-26-2023	HLC Resubmittal
	02-22-2024	Schematic Design (BOD)
	03-27-2024	100% Schematic Design
	05-13-2024	50% Design Development
	07-01-2024	100% Design Development
	07-15-2024	50% Construction Documents
	09-09-2024	90% Construction Documents
	09-13-2024	HLC Final
	09-26-2024	Bldg Dept Stmtl #1
	02-12-2025	Bldg Dept Stmtl #2
	05-28-2025	Bld Set / Bldg Dept Stmtl #3
	08-20-2025	Bldg Dept #4
3	02-09-2026	ASI 03

A-116

2/9/2026 8:59:49 PM



1 RCP LEVEL 2 SOUTH
1/8" = 1'-0"

RCP KEYNOTES

06.10-3 NON-TYPICAL FRAMING CONDITION; SEE STRUC DRAWINGS

26.52-1 ILLUMINATED EXIT SIGN - WALL MOUNT, PER CBC 1013

RCP GENERAL NOTES

1. REFERENCE UNIT RCP SHEETS FOR UNIT INTERIOR FINISHES AND FIXTURES
2. PROVIDE PLASTER CEILING FINISH U.N.O. AT ALL EXTERIOR CONDITIONS; MAINTAIN CONTINUITY OF HORIZONTAL ASSEMBLY PER SHEET A-701
3. PROVIDE PAINTED GYP BOARD CEILING FINISH AT ALL INTERIOR CONDITIONS U.N.O.; MAINTAIN CONTINUITY OF HORIZONTAL ASSEMBLY PER SHEET A-701
4. SEE ELECTRICAL AND MECHANICAL DRAWINGS FOR ADDITIONAL INFORMATION
5. COORDINATE FIRE SPRINKLER HEAD LOCATIONS (DEFERRED SUBMITTAL) WITH LIGHTING LAYOUT; VERIFY FINAL LOCATIONS WITH ARCHITECT PRIOR TO INSTALLATION
6. INTERIOR WALLS AND CEILINGS OUT OF PLANE DUE TO ADJACENT DIFFERING ASSEMBLIES TO BE FILLED IN TO CREATE A FLUSH WALL SURFACE; MAINTAIN MINIMUM RATED ASSEMBLIES PER ASSEMBLY SCHEDULES
7. DIMENSIONS ARE TO THE FOLLOWING UNLESS NOTED OTHERWISE:
   A. TO FACE OF PLYWOOD (OR STUD WHEN NO PLYWOOD)
   B. TO FACE OF CONCRETE
   C. TO CENTER OF ROUGH OPENING AT DOOR AND WINDOW JAMBS
   D. TO FACE OF FINISH FOR LIGHT FIXTURES

CEILING SCHEDULE


ID	DESCRIPTION
C1	METAL STUD FRAMED CEILING PER STRUC; 7/8" 3-COAT PLASTER FINISH O/ DENSGLASS SHEATHING PER DETAILS; HEIGHT PER RCPS
C2	METAL STUD FRAMED CEILING PER STRUC; GYP BOARD FINISH PER DETAILS; HEIGHT PER RCPS

RCP LEGEND

- EXPOSED WOOD FRAMED BALCONY; 2x6 T&G WOOD DECKING WITH EXPOSED BEAMS PER STRUCTURAL; FINISH PER ELEVATION
- (@ EXTERIOR) PLASTER CEILING FINISH AT UNDERSIDE OF FLOOR-CEILING ASSEMBLY PER ASSEMBLY DETAILS
- (@ INTERIOR) GYP BOARD CEILING FINISH AT UNDERSIDE OF FLOOR-CEILING ASSEMBLY PER ASSEMBLY DETAILS
- DROPPED CEILING PER CEILING SCHEDULE; HEIGHT PER RCP
- DUCT PER MECH; CONCEAL WITHIN SOFFIT OR FLOOR STRUCTURE; RATED PENETRATIONS PER MECH
- STEEL BEAM, PER STRUCTURAL
- WROUGHT IRON JULIET BALCONY ABOVE, FINISH PER ELEVATION
- FABRIC AWNING ABOVE, FINISH PER DETAILS
- BONDERIZED STEEL DOWNSPOUT W/ DECORATIVE STRAPS
- 6" HALF-ROUND BONDERIZED STEEL GUTTER PER ELEVATION
- 12" SQUARE SOFFIT VENT, SMOOTH-SIDED FLUSH MOUNT FRAME; PAINT TO MATCH COLOR OF ADJACENT STUCCO
- SECURITY CAMERA (POE) BY OWNER; GC TO PROVIDE END-TO-END CONDUIT, CABLING AND WIRING PER OWNER'S DIRECTION (TBD); GC TO COORDINATE PLACEMENT WITH ARCH AND OWNER

LIGHTING LEGEND

- EXTERIOR WALL SCONCE PER ELEC; DARK BRONZE FINISH; DARK SKY COMPLIANT
- EXTERIOR SPECIALITY WALL SCONCE PER ELEC; SEE EXTERIOR ELEVATIONS; DARK SKY COMPLIANT
- EXTERIOR SPECIALITY PENDANT LIGHT PER ELEC; SEE EXTERIOR ELEVATIONS; DARK SKY COMPLIANT
- EXTERIOR SURFACE MOUNT DOWNLIGHT - WET LOCATION - PER ELEC; WHITE FINISH
- WALL MOUNT PARKING LOT LIGHT; WHITE FINISH
- POLE MOUNT PARKING LOT LIGHT; DARK BRONZE FINISH
- LINEAR LIGHT FIXTURE; PER ELECTRICAL
- STAIR LIGHT FIXTURE; PER ELECTRICAL



EXTERIOR SCONCE AT DOOR PLACEMENT, TYP

EMERGENCY LIGHTING & SIGNAGE LEGEND

- CEILING-MOUNT ILLUMINATED EXIT SIGN PER ELEC AND FIRE-LIFE SAFETY DRAWINGS
- WALL-MOUNT ILLUMINATED EXIT SIGN PER ELEC AND FIRE-LIFE SAFETY DRAWINGS

CEARNAL COLLECTIVE
ARCHITECTURE
INTERIOR DESIGN
521 1/2 STATE STREET
SANTA BARBARA
CALIFORNIA 93101
P: 805.963.8077
www.cearnal.com

LICENSED ARCHITECT CHRISTINE PIERCE No. C29397 STATE OF CALIFORNIA

Jacaranda Court
400 W. Carrillo St
Santa Barbara, CA
APN 039-261-009
BLD2024-02656

ASI 03

JOB NUMBER: 18015

CONTENTS:
RCP LEVEL 2 SOUTH

THE CEARNAL COLLECTIVE LLP expressly reserves their common law copyright and other property rights in these plans. These plans are not to be reproduced, changed, or copied in any form or manner whatsoever, nor are they to be assigned to a third party without first obtaining the written permission and consent of The Cearnal Collective LLP. In the event of unauthorized reuse of these plans by a third party, the third party shall hold The Cearnal Collective LLP harmless.

ISSUE DATE: 2/9/26

ISSUANCES

#	DATE	DESCRIPTION
	01-18-2023	HLC Concept
	06-03-2023	PLN #2
	06-30-2023	PLN #3 / PC
	07-23-2023	Planning Commission
	10-26-2023	HLC Resubmittal
	02-22-2024	Schematic Design (BOD)
	03-27-2024	100% Schematic Design
	05-13-2024	50% Design Development
	07-01-2024	100% Design Development
	07-15-2024	50% Construction Documents
	09-09-2024	90% Construction Documents
	09-13-2024	HLC Final
	09-25-2024	Bldg Dept Submit #1
	02-12-2025	Bldg Dept Submit #2
	05-28-2025	Bld Set / Bldg Dept Submit #3
	08-20-2025	Bldg Dept #4
1	02-09-2026	ASI 03

A-117

2/9/2026 8:59:02 PM



1 RCP LEVEL 3 NORTH
1/8" = 1'-0"

RCP KEYNOTES

26.52-1 ILLUMINATED EXIT SIGN - WALL MOUNT, PER CBC 1013

26.52-2 ILLUMINATED EXIT SIGN - CEILING MOUNT, PER CBC 1013

RCP GENERAL NOTES

1. REFERENCE UNIT RCP SHEETS FOR UNIT INTERIOR FINISHES AND FIXTURES
2. PROVIDE PLASTER CEILING FINISH U.N.O. AT ALL EXTERIOR CONDITIONS; MAINTAIN CONTINUITY OF HORIZONTAL ASSEMBLY PER SHEET A-701
3. PROVIDE PAINTED GYP BOARD CEILING FINISH AT ALL INTERIOR CONDITIONS U.N.O.; MAINTAIN CONTINUITY OF HORIZONTAL ASSEMBLY PER SHEET A-701
4. SEE ELECTRICAL AND MECHANICAL DRAWINGS FOR ADDITIONAL INFORMATION
5. COORDINATE FIRE SPRINKLER HEAD LOCATIONS (DEFERRED SUBMITTAL) WITH LIGHTING LAYOUT; VERIFY FINAL LOCATIONS WITH ARCHITECT PRIOR TO INSTALLATION
6. INTERIOR WALLS AND CEILINGS OUT OF PLANE DUE TO ADJACENT DIFFERING ASSEMBLIES TO BE FILLED IN TO CREATE A FLUSH WALL SURFACE; MAINTAIN MINIMUM RATED ASSEMBLIES PER ASSEMBLY SCHEDULES
7. DIMENSIONS ARE TO THE FOLLOWING UNLESS NOTED OTHERWISE:
   A. TO FACE OF PLYWOOD (OR STUD WHEN NO PLYWOOD)
   B. TO FACE OF CONCRETE
   C. TO CENTER OF ROUGH OPENING AT DOOR AND WINDOW JAMBS
   D. TO FACE OF FINISH FOR LIGHT FIXTURES

CEILING SCHEDULE


ID	DESCRIPTION
C1	METAL STUD FRAMED CEILING PER STRUC; 7/8" 3-COAT PLASTER FINISH O/ DENSGLASS SHEATHING PER DETAILS; HEIGHT PER RCPS
C2	METAL STUD FRAMED CEILING PER STRUC; GYP BOARD FINISH PER DETAILS; HEIGHT PER RCPS

RCP LEGEND

- EXPOSED WOOD FRAMED BALCONY; 2x6 T&G WOOD DECKING WITH EXPOSED BEAMS PER STRUCTURAL; FINISH PER ELEVATION
- (@ EXTERIOR) PLASTER CEILING FINISH AT UNDERSIDE OF FLOOR-CEILING ASSEMBLY PER ASSEMBLY DETAILS
- (@ INTERIOR) GYP BOARD CEILING FINISH AT UNDERSIDE OF FLOOR-CEILING ASSEMBLY PER ASSEMBLY DETAILS
- DROPPED CEILING PER CEILING SCHEDULE; HEIGHT PER RCP
- DUCT PER MECH; CONCEAL WITHIN SOFFIT OR FLOOR STRUCTURE; RATED PENETRATIONS PER MECH
- STEEL BEAM, PER STRUCTURAL
- WROUGHT IRON JULIET BALCONY ABOVE, FINISH PER ELEVATION
- FABRIC AWNING ABOVE, FINISH PER DETAILS
- BONDERIZED STEEL DOWNSPOUT W/ DECORATIVE STRAPS
- 6" HALF-ROUND BONDERIZED STEEL GUTTER PER ELEVATION
- 12" SQUARE SOFFIT VENT, SMOOTH-SIDED FLUSH MOUNT FRAME, PAINT TO MATCH COLOR OF ADJACENT STUCCO
- SECURITY CAMERA (POE) BY OWNER; GC TO PROVIDE END-TO-END CONDUIT, CABLING AND WIRING PER OWNER'S DIRECTION (TBD); GC TO COORDINATE PLACEMENT WITH ARCH AND OWNER

LIGHTING LEGEND

- A: EXTERIOR WALL SCONCE PER ELEC; DARK BRONZE FINISH; DARK SKY COMPLIANT
- B, C: EXTERIOR SPECIALITY WALL SCONCE PER ELEC; SEE EXTERIOR ELEVATIONS; DARK SKY COMPLIANT
- D: EXTERIOR SPECIALITY PENDANT LIGHT PER ELEC; SEE EXTERIOR ELEVATIONS; DARK SKY COMPLIANT
- EXTERIOR SURFACE MOUNT DOWNLIGHT - WET LOCATION - PER ELEC; WHITE FINISH
- WALL MOUNT PARKING LOT LIGHT; WHITE FINISH
- POLE MOUNT PARKING LOT LIGHT; DARK BRONZE FINISH
- LINEAR LIGHT FIXTURE; PER ELECTRICAL
- STAIR LIGHT FIXTURE; PER ELECTRICAL



EXTERIOR SCONCE AT DOOR PLACEMENT, TYP

EMERGENCY LIGHTING & SIGNAGE LEGEND

- CEILING-MOUNT ILLUMINATED EXIT SIGN PER ELEC AND FIRE-LIFE SAFETY DRAWINGS
- WALL-MOUNT ILLUMINATED EXIT SIGN PER ELEC AND FIRE-LIFE SAFETY DRAWINGS

CEARNAL COLLECTIVE
ARCHITECTURE
INTERIOR DESIGN
521 1/2 STATE STREET
SANTA BARBARA
CALIFORNIA 93101
P: 805.963.8077
www.cearnal.com

LICENSED ARCHITECT CHRISTINE PIERCE STATE OF CALIFORNIA No. C29397

Jacaranda Court
400 W. Carrillo St
Santa Barbara, CA
APN 039-261-009
BLD2024-02656

ASI 03

JOB NUMBER: 18015

CONTENTS:
RCP LEVEL 3 NORTH

THE CEARNAL COLLECTIVE LLP expressly reserves their common law copyright and other property rights in these plans. These plans are not to be reproduced, changed, or copied in any form or manner whatsoever, nor are they to be assigned to a third party without first obtaining the written permission and consent of The Cearnal Collective LLP. In the event of unauthorized reuse of these plans by a third party, the third party shall hold The Cearnal Collective LLP harmless.


ISSUE DATE: 2/9/26

ISSUANCES

#	DATE	DESCRIPTION
	01-18-2023	HLC Concept
	05-03-2023	PLN #2
	06-30-2023	PLN #3 / PC
	07-23-2023	Planning Commission
	10-26-2023	HLC Resubmittal
	02-22-2024	Schematic Design (BOD)
	03-27-2024	100% Schematic Design
	05-13-2024	50% Design Development
	07-01-2024	100% Design Development
	07-15-2024	50% Construction Documents
	09-09-2024	50% Construction Documents
	09-13-2024	HLC Final
	09-25-2024	Bldg Dept Stmtl #1
	02-12-2025	Bldg Dept Stmtl #2
	05-28-2025	Bid Set / Bldg Dept Stmtl #3
	08-20-2025	Bldg Dept #4
3	02-09-2026	ASI 03

A-118

2/9/2026 7:16:03 PM



1 RCP LEVEL 3 SOUTH
1/8" = 1'-0"

RCP KEYNOTES

26.52-1 ILLUMINATED EXIT SIGN - WALL MOUNT, PER CBC 1013

RCP GENERAL NOTES

1. REFERENCE UNIT RCP SHEETS FOR UNIT INTERIOR FINISHES AND FIXTURES
2. PROVIDE PLASTER CEILING FINISH U.N.O. AT ALL EXTERIOR CONDITIONS; MAINTAIN CONTINUITY OF HORIZONTAL ASSEMBLY PER SHEET A-701
3. PROVIDE PAINTED GYP BOARD CEILING FINISH AT ALL INTERIOR CONDITIONS U.N.O.; MAINTAIN CONTINUITY OF HORIZONTAL ASSEMBLY PER SHEET A-701
4. SEE ELECTRICAL AND MECHANICAL DRAWINGS FOR ADDITIONAL INFORMATION
5. COORDINATE FIRE SPRINKLER HEAD LOCATIONS (DEFERRED SUBMITTAL) WITH LIGHTING LAYOUT; VERIFY FINAL LOCATIONS WITH ARCHITECT PRIOR TO INSTALLATION
6. INTERIOR WALLS AND CEILINGS OUT OF PLANE DUE TO ADJACENT DIFFERING ASSEMBLIES TO BE FILLED IN TO CREATE A FLUSH WALL SURFACE; MAINTAIN MINIMUM RATED ASSEMBLIES PER ASSEMBLY SCHEDULES
7. DIMENSIONS ARE TO THE FOLLOWING UNLESS NOTED OTHERWISE:
   A. TO FACE OF PLYWOOD (OR STUD WHEN NO PLYWOOD)
   B. TO FACE OF CONCRETE
   C. TO CENTER OF ROUGH OPENING AT DOOR AND WINDOW JAMBS
   D. TO FACE OF FINISH FOR LIGHT FIXTURES

CEILING SCHEDULE

ID	DESCRIPTION
C1	METAL STUD FRAMED CEILING PER STRUC; 7/8" 3-COAT PLASTER FINISH O/ DENSGLASS SHEATHING PER DETAILS; HEIGHT PER RCPS
C2	METAL STUD FRAMED CEILING PER STRUC; GYP BOARD FINISH PER DETAILS; HEIGHT PER RCPS

RCP LEGEND

- EXPOSED WOOD FRAMED BALCONY; 2x6 T&G WOOD DECKING WITH EXPOSED BEAMS PER STRUCTURAL; FINISH PER ELEVATION
- (@ EXTERIOR) PLASTER CEILING FINISH AT UNDERSIDE OF FLOOR-CEILING ASSEMBLY PER ASSEMBLY DETAILS
- (@ INTERIOR) GYP BOARD CEILING FINISH AT UNDERSIDE OF FLOOR-CEILING ASSEMBLY PER ASSEMBLY DETAILS
- DROPPED CEILING PER CEILING SCHEDULE; HEIGHT PER RCP
- DUCT PER MECH; CONCEAL WITHIN SOFFIT OR FLOOR STRUCTURE; RATED PENETRATIONS PER MECH
- STEEL BEAM, PER STRUCTURAL
- WROUGHT IRON JULIET BALCONY ABOVE, FINISH PER ELEVATION
- FABRIC AWNING ABOVE, FINISH PER DETAILS
- BONDERIZED STEEL DOWNSPOUT W/ DECORATIVE STRAPS
- 6" HALF-ROUND BONDERIZED STEEL GUTTER PER ELEVATION
- 12" SQUARE SOFFIT VENT, SMOOTH-SIDED FLUSH MOUNT FRAME, PAINT TO MATCH COLOR OF ADJACENT STUCCO
- A SECURITY CAMERA (POE) BY OWNER; GC TO PROVIDE END-TO-END CONDUIT, CABLING AND WIRING PER OWNER'S DIRECTION (TBD); GC TO COORDINATE PLACEMENT WITH ARCH AND OWNER

LIGHTING LEGEND

- A EXTERIOR WALL SCONCE PER ELEC; DARK BRONZE FINISH; DARK SKY COMPLIANT
- B EXTERIOR SPECIALITY WALL SCONCE PER ELEC; SEE EXTERIOR ELEVATIONS; DARK SKY COMPLIANT
- C EXTERIOR SPECIALITY PENDANT LIGHT PER ELEC; SEE EXTERIOR ELEVATIONS; DARK SKY COMPLIANT
- EXTERIOR SURFACE MOUNT DOWNLIGHT - WET LOCATION - PER ELEC; WHITE FINISH
- WALL MOUNT PARKING LOT LIGHT; WHITE FINISH
- POLE MOUNT PARKING LOT LIGHT; DARK BRONZE FINISH
- LINEAR LIGHT FIXTURE; PER ELECTRICAL
- STAIR LIGHT FIXTURE; PER ELECTRICAL



EXTERIOR SCONCE AT DOOR PLACEMENT, TYP

EMERGENCY LIGHTING & SIGNAGE LEGEND

- CEILING-MOUNT ILLUMINATED EXIT SIGN PER ELEC AND FIRE-LIFE SAFETY DRAWINGS
- WALL-MOUNT ILLUMINATED EXIT SIGN PER ELEC AND FIRE-LIFE SAFETY DRAWINGS

CEARNAL COLLECTIVE
ARCHITECTURE
INTERIOR DESIGN
521 1/2 STATE STREET
SANTA BARBARA
CALIFORNIA 93101
P: 805.963.8077
www.cearnal.com

LICENSED ARCHITECT CHRISTINE PIERCE No. C29397 STATE OF CALIFORNIA

Jacaranda Court
400 W. Carrillo St
Santa Barbara, CA
APN 039-261-009
BLD2024-02656

ASI 03

JOB NUMBER: 18015

CONTENTS:
RCP LEVEL 3 SOUTH

THE CEARNAL COLLECTIVE LLP expressly reserves their common law copyright and other property rights in these plans. These plans are not to be reproduced, changed, or copied in any form or manner whatsoever, nor are they to be assigned to a third party without first obtaining the written permission and consent of The Cearnal Collective LLP. In the event of unauthorized reuse of these plans by a third party, the third party shall hold The Cearnal Collective LLP harmless.


ISSUE DATE: 2/9/26

ISSUANCES

#	DATE	DESCRIPTION
	01-18-2023	HLC Concept
	05-03-2023	PLN #2
	06-30-2023	PLN #3 / PC
	07-23-2023	Planning Commission
	10-26-2023	HLC Resubmittal
	02-22-2024	Schematic Design (BOD)
	03-27-2024	100% Schematic Design
	05-13-2024	50% Design Development
	07-01-2024	100% Design Development
	01-15-2024	50% Construction Documents
	09-09-2024	80% Construction Documents
	09-13-2024	HLC Final
	09-25-2024	Bldg Dept Submit #1
	02-12-2025	Bldg Dept Submit #2
	05-28-2025	Bld Set / Bldg Dept Submit #3
	08-20-2025	Bldg Dept #4
1	11-07-2025	ASI 01
3	02-09-2026	ASI 03

A-119

2/9/2026 8:59:15 PM



1 RCP LEVEL 4 NORTH
1/8" = 1'-0"

RCP KEYNOTES

06.10-3	NON-TYPICAL FRAMING CONDITION; SEE STRUC DRAWINGS
11.33-1	MANUAL PULL-DOWN LADDER; SUPER SIMPLEX DISAPPEARING STAIRWAY WITH LADDER SAFETY POST (30x54); PROVIDE LOCK AND RECESSED PANEL TO RECEIVE GYP BD FINISH
26.52-1	ILLUMINATED EXIT SIGN - WALL MOUNT, PER CBC 1013
26.52-3	ILLUMINATED EXIT SIGN - END MOUNT, PER CBC 1013

RCP GENERAL NOTES

1. REFERENCE UNIT RCP SHEETS FOR UNIT INTERIOR FINISHES AND FIXTURES
2. PROVIDE PLASTER CEILING FINISH U.N.O. AT ALL EXTERIOR CONDITIONS; MAINTAIN CONTINUITY OF HORIZONTAL ASSEMBLY PER SHEET A-701
3. PROVIDE PAINTED GYP BOARD CEILING FINISH AT ALL INTERIOR CONDITIONS U.N.O.; MAINTAIN CONTINUITY OF HORIZONTAL ASSEMBLY PER SHEET A-701
4. SEE ELECTRICAL AND MECHANICAL DRAWINGS FOR ADDITIONAL INFORMATION
5. COORDINATE FIRE SPRINKLER HEAD LOCATIONS (DEFERRED SUBMITTAL) WITH LIGHTING LAYOUT; VERIFY FINAL LOCATIONS WITH ARCHITECT PRIOR TO INSTALLATION
6. INTERIOR WALLS AND CEILINGS OUT OF PLANE DUE TO ADJACENT DIFFERING ASSEMBLIES TO BE FILLED IN TO CREATE A FLUSH WALL SURFACE; MAINTAIN MINIMUM RATED ASSEMBLIES PER ASSEMBLY SCHEDULES
7. DIMENSIONS ARE TO THE FOLLOWING UNLESS NOTED OTHERWISE:
   A. TO FACE OF PLYWOOD (OR STUD WHEN NO PLYWOOD)
   B. TO FACE OF CONCRETE
   C. TO CENTER OF ROUGH OPENING AT DOOR AND WINDOW JAMBS
   D. TO FACE OF FINISH FOR LIGHT FIXTURES

CEILING SCHEDULE


ID	DESCRIPTION
C1	METAL STUD FRAMED CEILING PER STRUC; 7/8" 3-COAT PLASTER FINISH O/ DENSGLASS SHEATHING PER DETAILS; HEIGHT PER RCPS
C2	METAL STUD FRAMED CEILING PER STRUC; GYP BOARD FINISH PER DETAILS; HEIGHT PER RCPS

RCP LEGEND

- EXPOSED WOOD FRAMED BALCONY; 2x6 T&G WOOD DECKING WITH EXPOSED BEAMS PER STRUCTURAL; FINISH PER ELEVATION
- (@ EXTERIOR) PLASTER CEILING FINISH AT UNDERSIDE OF FLOOR-CEILING ASSEMBLY PER ASSEMBLY DETAILS
- (@ INTERIOR) GYP BOARD CEILING FINISH AT UNDERSIDE OF FLOOR-CEILING ASSEMBLY PER ASSEMBLY DETAILS
- DROPPED CEILING PER CEILING SCHEDULE; HEIGHT PER RCP
- DUCT PER MECH; CONCEAL WITHIN SOFFIT OR FLOOR STRUCTURE; RATED PENETRATIONS PER MECH
- STEEL BEAM, PER STRUCTURAL
- WROUGHT IRON JULIET BALCONY ABOVE, FINISH PER ELEVATION
- FABRIC AWNING ABOVE, FINISH PER DETAILS
- BONDERIZED STEEL DOWNSPOUT W/ DECORATIVE STRAPS
- 6" HALF-ROUND BONDERIZED STEEL GUTTER PER ELEVATION
- 12" SQUARE SOFFIT VENT, SMOOTH-SIDED FLUSH MOUNT FRAME, PAINT TO MATCH COLOR OF ADJACENT STUCCO
- SECURITY CAMERA (POE) BY OWNER; GC TO PROVIDE END-TO-END CONDUIT, CABLING AND WIRING PER OWNER'S DIRECTION (TBD); GC TO COORDINATE PLACEMENT WITH ARCH AND OWNER

LIGHTING LEGEND

- A — EXTERIOR WALL SCONCE PER ELEC; DARK BRONZE FINISH; DARK SKY COMPLIANT
- B, C — EXTERIOR SPECIALITY WALL SCONCE PER ELEC; SEE EXTERIOR ELEVATIONS; DARK SKY COMPLIANT
- D — EXTERIOR SPECIALITY PENDANT LIGHT PER ELEC; SEE EXTERIOR ELEVATIONS; DARK SKY COMPLIANT
- EXTERIOR SURFACE MOUNT DOWNLIGHT - WET LOCATION - PER ELEC; WHITE FINISH
- WALL MOUNT PARKING LOT LIGHT; WHITE FINISH
- POLE MOUNT PARKING LOT LIGHT; DARK BRONZE FINISH
- LINEAR LIGHT FIXTURE; PER ELECTRICAL
- STAIR LIGHT FIXTURE; PER ELECTRICAL



EXTERIOR SCONCE AT DOOR PLACEMENT, TYP

EMERGENCY LIGHTING & SIGNAGE LEGEND

- CEILING-MOUNT ILLUMINATED EXIT SIGN PER ELEC AND FIRE-LIFE SAFETY DRAWINGS
- WALL-MOUNT ILLUMINATED EXIT SIGN PER ELEC AND FIRE-LIFE SAFETY DRAWINGS

CEARNAL COLLECTIVE
ARCHITECTURE
INTERIOR DESIGN
521 1/2 STATE STREET
SANTA BARBARA
CALIFORNIA 93101
P: 805.963.8077
www.cearnal.com

LICENSED ARCHITECT — CHRISTINE PIERCE — No. C29397 — STATE OF CALIFORNIA

Jacaranda Court
400 W. Carrillo St
Santa Barbara, CA
APN 039-261-009
BLD2024-02656

ASI 03

JOB NUMBER: 18015

CONTENTS:
RCP LEVEL 4 NORTH

THE CEARNAL COLLECTIVE LLP expressly reserves their common law copyright and other property rights in these plans. These plans are not to be reproduced, changed, or copied in any form or manner whatsoever, nor are they to be assigned to a third party without first obtaining the written permission and consent of The Cearnal Collective LLP. In the event of unauthorized reuse of these plans by a third party, the third party shall hold The Cearnal Collective LLP harmless.


ISSUE DATE: 2/9/26

ISSUANCES

#	DATE	DESCRIPTION
	01-18-2023	HLC Concept
	05-03-2023	PLN #2
	06-30-2023	PLN #3 / FC
	07-23-2023	Planning Commission
	10-26-2023	HLC Resubmittal
	02-22-2024	Schematic Design (BOD)
	03-27-2024	100% Schematic Design
	05-13-2024	50% Design Development
	07-01-2024	100% Design Development
	07-15-2024	50% Construction Documents
	09-09-2024	90% Construction Documents
	09-13-2024	HLC Final
	09-26-2024	Bldg Dept Stmtl #1
	02-12-2025	Bldg Dept Stmtl #2
	05-28-2025	Bid Set / Bldg Dept Stmtl #3
	08-20-2025	Bldg Dept #4
1	11-07-2025	ASI 01
3	02-09-2026	ASI 03

A-120

2/9/2026 6:59:29 PM



1 RCP LEVEL 4 SOUTH
1/8" = 1'-0"

RCP KEYNOTES

06.10-3 NON-TYPICAL FRAMING CONDITION; SEE STRUC DRAWINGS

11.33-1 MANUAL PULL-DOWN LADDER; SUPER SIMPLEX DISAPPEARING STAIRWAY WITH LADDER SAFETY POST (30x54); PROVIDE LOCK AND RECESSED PANEL TO RECEIVE GYP BD FINISH

26.52-1 ILLUMINATED EXIT SIGN - WALL MOUNT, PER CBC 1013

RCP GENERAL NOTES

1. REFERENCE UNIT RCP SHEETS FOR UNIT INTERIOR FINISHES AND FIXTURES
2. PROVIDE PLASTER CEILING FINISH U.N.O. AT ALL EXTERIOR CONDITIONS; MAINTAIN CONTINUITY OF HORIZONTAL ASSEMBLY PER SHEET A-701
3. PROVIDE PAINTED GYP BOARD CEILING FINISH AT ALL INTERIOR CONDITIONS U.N.O.; MAINTAIN CONTINUITY OF HORIZONTAL ASSEMBLY PER SHEET A-701
4. SEE ELECTRICAL AND MECHANICAL DRAWINGS FOR ADDITIONAL INFORMATION
5. COORDINATE FIRE SPRINKLER HEAD LOCATIONS (DEFERRED SUBMITTAL) WITH LIGHTING LAYOUT; VERIFY FINAL LOCATIONS WITH ARCHITECT PRIOR TO INSTALLATION
6. INTERIOR WALLS AND CEILINGS OUT OF PLANE DUE TO ADJACENT DIFFERING ASSEMBLIES TO BE FILLED IN TO CREATE A FLUSH WALL SURFACE; MAINTAIN MINIMUM RATED ASSEMBLIES PER ASSEMBLY SCHEDULES
7. DIMENSIONS ARE TO THE FOLLOWING UNLESS NOTED OTHERWISE:
   A. TO FACE OF PLYWOOD (OR STUD WHEN NO PLYWOOD)
   B. TO FACE OF CONCRETE
   C. TO CENTER OF ROUGH OPENING AT DOOR AND WINDOW JAMBS
   D. TO FACE OF FINISH FOR LIGHT FIXTURES

CEILING SCHEDULE


ID	DESCRIPTION
C1	METAL STUD FRAMED CEILING PER STRUC; 7/8" 3-COAT PLASTER FINISH O/ DENSGLASS SHEATHING PER DETAILS; HEIGHT PER RCPS
C2	METAL STUD FRAMED CEILING PER STRUC; GYP BOARD FINISH PER DETAILS; HEIGHT PER RCPS

RCP LEGEND

- EXPOSED WOOD FRAMED BALCONY; 2x6 T&G WOOD DECKING WITH EXPOSED BEAMS PER STRUCTURAL; FINISH PER ELEVATION
- (@ EXTERIOR) PLASTER CEILING FINISH AT UNDERSIDE OF FLOOR-CEILING ASSEMBLY PER ASSEMBLY DETAILS
- (@ INTERIOR) GYP BOARD CEILING FINISH AT UNDERSIDE OF FLOOR-CEILING ASSEMBLY PER ASSEMBLY DETAILS
- DROPPED CEILING PER CEILING SCHEDULE; HEIGHT PER RCP
- DUCT PER MECH; CONCEAL WITHIN SOFFIT OR FLOOR STRUCTURE; RATED PENETRATIONS PER MECH
- STEEL BEAM, PER STRUCTURAL
- WROUGHT IRON JULIET BALCONY ABOVE, FINISH PER ELEVATION
- FABRIC AWNING ABOVE, FINISH PER DETAILS
- BONDERIZED STEEL DOWNSPOUT W/ DECORATIVE STRAPS
- 6" HALF-ROUND BONDERIZED STEEL GUTTER PER ELEVATION
- 12" SQUARE SOFFIT VENT, SMOOTH-SIDED FLUSH MOUNT FRAME, PAINT TO MATCH COLOR OF ADJACENT STUCCO
- SECURITY CAMERA (POE) BY OWNER; GC TO PROVIDE END-TO-END CONDUIT, CABLING AND WIRING PER OWNER'S DIRECTION (TBD); GC TO COORDINATE PLACEMENT WITH ARCH AND OWNER

LIGHTING LEGEND

- A — EXTERIOR WALL SCONCE PER ELEC; DARK BRONZE FINISH; DARK SKY COMPLIANT
- B, C — EXTERIOR SPECIALITY WALL SCONCE PER ELEC; SEE EXTERIOR ELEVATIONS; DARK SKY COMPLIANT
- D — EXTERIOR SPECIALITY PENDANT LIGHT PER ELEC; SEE EXTERIOR ELEVATIONS; DARK SKY COMPLIANT
- EXTERIOR SURFACE MOUNT DOWNLIGHT - WET LOCATION - PER ELEC; WHITE FINISH
- WALL MOUNT PARKING LOT LIGHT; WHITE FINISH
- POLE MOUNT PARKING LOT LIGHT; DARK BRONZE FINISH
- LINEAR LIGHT FIXTURE; PER ELECTRICAL
- STAIR LIGHT FIXTURE; PER ELECTRICAL



EXTERIOR SCONCE AT DOOR PLACEMENT, TYP

EMERGENCY LIGHTING & SIGNAGE LEGEND

- CEILING-MOUNT ILLUMINATED EXIT SIGN PER ELEC AND FIRE-LIFE SAFETY DRAWINGS
- WALL-MOUNT ILLUMINATED EXIT SIGN PER ELEC AND FIRE-LIFE SAFETY DRAWINGS

CEARNAL COLLECTIVE
ARCHITECTURE
INTERIOR DESIGN
521 1/2 STATE STREET
SANTA BARBARA
CALIFORNIA 93101
P: 805.963.8077
www.cearnal.com

LICENSED ARCHITECT
CHRISTINE PIERCE
No. C29397
STATE OF CALIFORNIA

Jacaranda Court
400 W. Carrillo St
Santa Barbara, CA
APN 039-261-009
BLD2024-02656

ASI 03

JOB NUMBER: 18015

CONTENTS:
RCP LEVEL 4 SOUTH

THE CEARNAL COLLECTIVE LLP expressly reserves their common law copyright and other property rights in these plans. These plans are not to be reproduced, changed, or copied in any form or manner whatsoever, nor are they to be assigned to a third party without first obtaining the written permission and consent of The Cearnal Collective LLP. In the event of unauthorized reuse of these plans by a third party, the third party shall hold The Cearnal Collective LLP harmless.

ISSUE DATE: 2/9/26

ISSUANCES

#	DATE	DESCRIPTION
	01-18-2023	HLC Concept
	05-03-2023	PLN #2
	06-30-2023	PLN #3 / PC
	07-23-2023	Planning Commission
	10-26-2023	HLC Resubmittal
	02-22-2024	Schematic Design (BOD)
	03-27-2024	100% Schematic Design
	05-13-2024	50% Design Development
	07-01-2024	100% Design Development
	07-15-2024	50% Construction Documents
	09-09-2024	50% Construction Documents
	09-13-2024	HLC Final
	09-26-2024	Bldg Dept Stsmtl #1
	02-12-2025	Bldg Dept Stsmtl #2
	05-28-2025	Bid Set / Bldg Dept Stsmtl #3
	08-20-2025	Bldg Dept #4
1	11-07-2025	ASI 01
3	02-09-2026	ASI 03

A-121

2/9/2026 8:59:41 PM